

# HR 4995

Energy Efficiency Act

Congress: 108 (2003–2005, Ended)

Chamber: House Policy Area: Energy Introduced: Jul 22, 2004

Current Status: Referred to the Subcommittee on Energy and Air Quality.

Latest Action: Referred to the Subcommittee on Energy and Air Quality. (Jul 22, 2004)

Official Text: https://www.congress.gov/bill/108th-congress/house-bill/4995

### **Sponsor**

Name: Rep. Slaughter, Louise McIntosh [D-NY-28]
Party: Democratic • State: NY • Chamber: House

### Cosponsors (4 total)

| Cosponsor                                  | Party / State | Role | <b>Date Joined</b> |
|--|---------------|------|--------------------|
| Del. Christensen, Donna M. [D-VI-At Large] | D · VI        |      | Sep 7, 2004        |
| Rep. Blumenauer, Earl [D-OR-3]             | D · OR        |      | Sep 7, 2004        |
| Rep. Brown, Sherrod [D-OH-13]              | D · OH        |      | Sep 7, 2004        |
| Rep. Markey, Edward J. [D-MA-7]            | D · MA        |      | Sep 7, 2004        |

## **Committee Activity**

| Committee                                   | Chamber | Activity                                | Date         |
|---|---------|---|--------------|
| Energy and Commerce Committee               | House   | Referred to                             | Jul 22, 2004 |
| Transportation and Infrastructure Committee | House   | Bills of Interest - Exchange of Letters | Sep 14, 2004 |

## **Subjects & Policy Tags**

# **Policy Area:**

Energy

#### **Related Bills**

No related bills are listed.

Energy Efficiency Act - Amends the National Energy Conservation Policy Act to require that only intermittent escalators be acquired for installation in Federal buildings. Defines an intermittent escalator as an escalator that remains in a stationary position until it automatically operates at the approach of a passenger, and returns to a stationary position after the passenger completes passage.

Provides an exception to this requirement for a location outside the United States if the cost to acquire an intermittent escalator would be substantially greater over the life of the escalator.

Requires Federal agencies to incorporate other escalator energy conservation measures, as appropriate.

#### **Actions Timeline**

- Jul 22, 2004: Introduced in House
- Jul 22, 2004: Introduced in House
- Jul 22, 2004: Referred to the House Committee on Energy and Commerce.
- Jul 22, 2004: Referred to the Subcommittee on Energy and Air Quality.