

HR 2942

To direct the Chief of the Army Corps of Engineers to revise the Missouri River Mainstem Reservoir System Master Water Control Manual to ensure greater storage capacity to prevent serious downstream flooding.

Congress: 112 (2011–2013, Ended)

Chamber: House

Policy Area: Water Resources Development

Introduced: Sep 15, 2011

Current Status: Referred to the Subcommittee on Water Resources and Environment.

Latest Action: Referred to the Subcommittee on Water Resources and Environment. (Sep 16, 2011)

Official Text: <https://www.congress.gov/bill/112th-congress/house-bill/2942>

Sponsor

Name: Rep. King, Steve [R-IA-5]

Party: Republican • **State:** IA • **Chamber:** House

Cosponsors (13 total)

Cosponsor	Party / State	Role	Date Joined
Rep. Boswell, Leonard L. [D-IA-3]	D · IA		Sep 15, 2011
Rep. Braley, Bruce L. [D-IA-1]	D · IA		Sep 15, 2011
Rep. Cleaver, Emanuel [D-MO-5]	D · MO		Sep 15, 2011
Rep. Fortenberry, Jeff [R-NE-1]	R · NE		Sep 15, 2011
Rep. Graves, Sam [R-MO-6]	R · MO		Sep 15, 2011
Rep. Hartzler, Vicky [R-MO-4]	R · MO		Sep 15, 2011
Rep. Latham, Tom [R-IA-4]	R · IA		Sep 15, 2011
Rep. Loebssack, David [D-IA-2]	D · IA		Sep 15, 2011
Rep. Luetkemeyer, Blaine [R-MO-9]	R · MO		Sep 15, 2011
Rep. Noem, Kristi L. [R-SD-At Large]	R · SD		Sep 15, 2011
Rep. Terry, Lee [R-NE-2]	R · NE		Sep 15, 2011
Rep. Akin, W. Todd [R-MO-2]	R · MO		Dec 2, 2011
Rep. Yoder, Kevin [R-KS-3]	R · KS		Dec 2, 2011

Committee Activity

Committee	Chamber	Activity	Date
Transportation and Infrastructure Committee	House	Referred to	Sep 16, 2011

Subjects & Policy Tags

Policy Area:

Water Resources Development

Related Bills

Bill	Relationship	Last Action
112 S 1795	Related bill	Nov 3, 2011: Read twice and referred to the Committee on Environment and Public Works.
112 HR 2993	Related bill	Sep 22, 2011: Referred to the Subcommittee on Water Resources and Environment.

Summary (as of Sep 15, 2011)

Directs the Chief of the Army Corps of Engineers to revise the Missouri River Mainstem Reservoir System Master Water Control Manual to ensure that the System's flood control storage allocation has been: (1) recalculated so that it is based on the vacated space required to control the largest flood experienced in the System and the associated serious downstream flooding; and (2) adjusted, prior to each runoff season, such that the space allocated for flood control purposes in the Exclusive Flood Control Zone and the Annual Flood Control and Multiple Use Regulation Zone is increased by an amount necessary to ensure that the storage capacity of the two zones is adequate to avoid contributing to serious downstream flooding.

Actions Timeline

- Sep 16, 2011: Referred to the Subcommittee on Water Resources and Environment.
- Sep 15, 2011: Introduced in House
- Sep 15, 2011: Referred to the House Committee on Transportation and Infrastructure.