

## S 3559

### FUELS Act

**Congress:** 112 (2011–2013, Ended)

**Chamber:** Senate

**Policy Area:** Environmental Protection

**Introduced:** Sep 19, 2012

**Current Status:** Read twice and referred to the Committee on Environment and Public Works.

**Latest Action:** Read twice and referred to the Committee on Environment and Public Works. (Sep 19, 2012)

**Official Text:** <https://www.congress.gov/bill/112th-congress/senate-bill/3559>

### Sponsor

**Name:** Sen. Pryor, Mark L. [D-AR]

**Party:** Democratic • **State:** AR • **Chamber:** Senate

### Cosponsors (4 total)

Cosponsor	Party / State	Role	Date Joined
Sen. Conrad, Kent [D-ND]	D · ND		Sep 19, 2012
Sen. Inhofe, James M. [R-OK]	R · OK		Sep 19, 2012
Sen. Landrieu, Mary L. [D-LA]	D · LA		Sep 19, 2012
Sen. Tester, Jon [D-MT]	D · MT		Sep 19, 2012

### Committee Activity

Committee	Chamber	Activity	Date
Environment and Public Works Committee	Senate	Referred To	Sep 19, 2012

### Subjects & Policy Tags

#### Policy Area:

Environmental Protection

### Related Bills

Bill	Relationship	Last Action
112 HR 3158	Related bill	Aug 2, 2012: Received in the Senate and Read twice and referred to the Committee on Environment and Public Works.

Farmers Undertake Environmental Land Stewardship Act or the FUELS Act - Requires the Administrator of the Environmental Protection Agency (EPA), in implementing the Spill Prevention, Control, and Countermeasure rule with respect to any farm, to require certification of compliance with such rule by: (1) a professional engineer for a farm with an individual tank with an aboveground storage capacity greater than 10,000 gallons, an aggregate aboveground storage capacity of at least 42,000 gallons, or a history that includes a spill, as determined by the Administrator; or (2) the owner or operator of the farm (via self-certification) for a farm with an aggregate aboveground storage capacity greater than 10,000 gallons but less than 42,000 gallons and no history of spills. Directs the Administrator to exempt from all requirements of such rule any farm with an aggregate aboveground storage capacity of 10,000 gallons or less and no history of spills.

Excludes from the aggregate storage capacity of a farm all containers on separate parcels that have a capacity of less than 1,320 gallons.

### **Actions Timeline**

---

- **Sep 19, 2012:** Introduced in Senate
- **Sep 19, 2012:** Read twice and referred to the Committee on Environment and Public Works.