

## S 1207

### FUELS Act

**Congress:** 115 (2017–2019, Ended)

**Chamber:** Senate

**Policy Area:** Environmental Protection

**Introduced:** May 23, 2017

**Current Status:** Read twice and referred to the Committee on Environment and Public Works.

**Latest Action:** Read twice and referred to the Committee on Environment and Public Works. (May 23, 2017)

**Official Text:** <https://www.congress.gov/bill/115th-congress/senate-bill/1207>

### Sponsor

**Name:** Sen. Fischer, Deb [R-NE]

**Party:** Republican • **State:** NE • **Chamber:** Senate

### Cosponsors (8 total)

Cosponsor	Party / State	Role	Date Joined
Sen. Boozman, John [R-AR]	R · AR		May 23, 2017
Sen. Ernst, Joni [R-IA]	R · IA		May 23, 2017
Sen. Hoeven, John [R-ND]	R · ND		May 23, 2017
Sen. Moran, Jerry [R-KS]	R · KS		May 23, 2017
Sen. Risch, James E. [R-ID]	R · ID		May 23, 2017
Sen. Roberts, Pat [R-KS]	R · KS		May 23, 2017
Sen. Sasse, Ben [R-NE]	R · NE		May 23, 2017
Sen. Wicker, Roger F. [R-MS]	R · MS		May 23, 2017

### Committee Activity

Committee	Chamber	Activity	Date
Environment and Public Works Committee	Senate	Referred To	May 23, 2017

### Subjects & Policy Tags

#### Policy Area:

Environmental Protection

### Related Bills

Bill	Relationship	Last Action
115 S 2663	Related bill	Apr 12, 2018: Read twice and referred to the Committee on Environment and Public Works.
115 HR 1737	Related bill	Mar 28, 2017: Referred to the Subcommittee on Water Resources and Environment.

## **Farmers Undertake Environmental Land Stewardship Act or the FUELS Act**

This bill amends the Water Resources Reform and Development Act of 2014 to require the Environmental Protection Agency, in implementing the Spill Prevention, Control, and Countermeasure rule (concerning oil pollution prevention) with respect to any farm, to:

- require certification by a professional engineer for a farm with an aggregate aboveground storage capacity of more than 42,000 gallons (currently, 20,000 gallons);
- allow self-certification by the owner or operator of a farm with an aggregate aboveground storage capacity of more than 10,000 gallons but less than 42,000 gallons (currently, of less than 20,000 gallons and more than the lesser of 6,000 gallons and the adjustment quantity established under such Act); and
- not require compliance with the rule by any farm with an aggregate aboveground storage capacity of 10,000 gallons or less (currently, of more than 2,500 gallons and less than the lesser of 6,000 gallons and such adjustment quantity).

The rule shall apply to aboveground storage containers at farms on a separate parcel that have an individual capacity of not more than 1,320 gallons (currently, 1,000 gallons) and an aggregate capacity of not more than 3,000 gallons (currently, 2,500 gallons).

## **Actions Timeline**

---

- **May 23, 2017:** Introduced in Senate
- **May 23, 2017:** Read twice and referred to the Committee on Environment and Public Works.