

## HR 2094

Lead Free Schools Act of 2017

**Congress:** 115 (2017–2019, Ended)

**Chamber:** House

**Policy Area:** Environmental Protection

**Introduced:** Apr 14, 2017

**Current Status:** Referred to the Subcommittee on Environment.

**Latest Action:** Referred to the Subcommittee on Environment. (Apr 14, 2017)

**Official Text:** <https://www.congress.gov/bill/115th-congress/house-bill/2094>

### Sponsor

**Name:** Rep. Gottheimer, Josh [D-NJ-5]

**Party:** Democratic • **State:** NJ • **Chamber:** House

### Cosponsors (1 total)

Cosponsor	Party / State	Role	Date Joined
Rep. Fitzpatrick, Brian K. [R-PA-8]	R · PA		Apr 14, 2017

### Committee Activity

Committee	Chamber	Activity	Date
Energy and Commerce Committee	House	Referred to	Apr 14, 2017

### Subjects & Policy Tags

#### Policy Area:

Environmental Protection

### Related Bills

Bill	Relationship	Last Action
115 HR 2479	Related bill	May 22, 2018: Referred to the Subcommittee on Energy.
115 HR 4908	Related bill	Feb 2, 2018: Referred to the Subcommittee on Environment.
115 HR 3106	Related bill	Jul 14, 2017: Sponsor introductory remarks on measure. (CR H5870)

## **Lead Free Schools Act of 2017**

This bill amends the Safe Drinking Water Act to direct the Environmental Protection Agency (EPA) to revise national primary drinking water regulations for lead and copper within nine months. The revised regulations must ensure that:

- corrosion controls are reevaluated anytime source water or treatment is changed;
- test results are valid by prohibiting techniques that artificially lower lead levels;
- monitoring includes school sites for all public water systems serving schools;
- notification of lead problems is clear and effective; and
- lead service lines, which are controlled by public water systems, are fully replaced on a set timetable and whenever contamination is detected.

The EPA must: (1) publish a maximum contaminant level goal and promulgate a national primary drinking water regulation for perfluorinated compounds within two years, and (2) determine whether to regulate 1,4-dioxane within two years.

The EPA must establish a grant program for replacing drinking water fountains manufactured prior to 1988 that are located in schools or day care facilities with fountains that are lead free.

The bill reauthorizes for FY2018-FY2022 the voluntary school and child care program lead testing grant program.

---

## **Actions Timeline**

- **Apr 14, 2017:** Introduced in House
- **Apr 14, 2017:** Referred to the House Committee on Energy and Commerce.
- **Apr 14, 2017:** Referred to the Subcommittee on Environment.