

## HR 235

To provide for a comfortable and safe temperature level in dwelling units receiving certain Federal housing assistance, and for other purposes.

**Congress:** 116 (2019–2021, Ended)

**Chamber:** House

**Policy Area:** Housing and Community Development

**Introduced:** Jan 3, 2019

**Current Status:** Referred to the House Committee on Financial Services.

**Latest Action:** Referred to the House Committee on Financial Services. (Jan 3, 2019)

**Official Text:** <https://www.congress.gov/bill/116th-congress/house-bill/235>

### Sponsor

**Name:** Rep. Wilson, Frederica S. [D-FL-24]

**Party:** Democratic • **State:** FL • **Chamber:** House

### Cosponsors

No cosponsors are listed for this bill.

### Committee Activity

Committee	Chamber	Activity	Date
Financial Services Committee	House	Referred To	Jan 3, 2019

### Subjects & Policy Tags

#### Policy Area:

Housing and Community Development

### Related Bills

Bill	Relationship	Last Action
116 S 17	Related bill	Jan 3, 2019: Read twice and referred to the Committee on Banking, Housing, and Urban Affairs.

### Summary (as of Jan 3, 2019)

This bill allows the Department of Housing and Urban Development to require units in public housing and supportive housing for the elderly, as well as dwellings receiving low-income housing choice voucher assistance, to maintain a temperature level ranging from 71 to 81 degrees Fahrenheit.

### Actions Timeline

- **Jan 3, 2019:** Introduced in House
- **Jan 3, 2019:** Referred to the House Committee on Financial Services.